

[54] **BOOT AND MITT DRYER**  
[76] Inventor: **Alwyn Anderson**, R.R. No. 14,  
Thunder Bay, Ontario, Canada, P7B  
5E5

[\*\*] Term: **14 Years**

[21] Appl. No.: **638,379**

[22] Filed: **Dec. 8, 1975**

[51] Int. Cl. .... **D7-05; D6-99**

[52] U.S. Cl. .... **D7/196**

[58] Field of Search ..... D7/196; D6/85, 28, 113,  
D6/116-124, 247, 249-253, 256, 257;  
12/123; 211/181, 13, 30, 33, 34, 37, 38, 86,  
113, 119; 248/175, 317; 223/76, 78-80, 84

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

1,464,160 8/1923 Weyel ..... 211/113 UX

3,587,865 6/1971 Phillips ..... 211/37  
D. 238,405 1/1976 Athey ..... D6/28

**FOREIGN PATENT DOCUMENTS**

777,064 8/1957 United Kingdom ..... 211/37

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Catherine Kemper  
*Attorney, Agent, or Firm*—Stanley G. Ade

[57] **CLAIM**


The ornamental design for a boot and mitt dryer, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a boot and mitt dryer showing my new design.

FIG. 2 is an elevational view thereof, taken in the direction of the arrow marked 2 in FIG. 1;

FIG. 3 is a bottom plan view thereof, taken in the direction of the arrow marked 3 in FIG. 1.






FIG. 1




FIG. 2




FIG. 3