

[54] COMBINATION BATTERY CHARGER, RECEIVER AND AMPLIFIER OR SIMILAR ARTICLE

[75] Inventors: Arnold Sherwin Goldman, Plantation; Richard John Toth, Oakland Park, both of Fla.

[73] Assignee: Motorola, Inc., Schaumburg, Ill.

[**] Term: 14 Years

[21] Appl. No.: 664,854

[22] Filed: Mar. 8, 1976

[51] Int. Cl. D13-02; D14-03

[52] U.S. Cl. D13/5

[58] Field of Search D26/14 K, 15 B, 14 B, D26/14 L; D56/4 B; 320/2

[56] References Cited

U.S. PATENT DOCUMENTS

3,458,794	7/1969	Bohnstedt et al.	320/2
3,519,914	7/1970	Fujimaki et al.	320/2
D. 210,773	4/1968	Komata et al.	D26/14 K

D. 219,985	2/1971	Ray	D26/15 B
D. 237,893	12/1975	Wennerström	D26/14 K



Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—James W. Gillman

[57] CLAIM

The ornamental design for a combination battery charger, receiver and amplifier or similar article, substantially as shown.

DESCRIPTION

FIG. 1 is a perspective view of the combination battery charger, receiver and amplifier or similar article showing the front, one side and the top of our new design; FIG. 2 is an elevation view showing the side of the combination battery charger, receiver and amplifier or similar article shown in FIG. 1; FIG. 3 is a plan view showing the bottom of the combination battery charger, receiver and amplifier or similar article shown in FIG. 1; FIG. 4 is an elevation view showing the rear side of the combination battery charger, receiver and amplifier or similar article shown in FIG. 1.






Fig. 1

Fig. 2





Fig. 4

Fig. 3

