

[54] **COMBINED VACUUM CURETTAGE VESSEL AND VALVE CLOSURE THEREFOR**

| | | | |
|-----------|--------|--------------------|---------|
| 3,889,682 | 6/1975 | Denis et al. | 128/276 |
| 3,939,835 | 2/1976 | Bridgman | 128/276 |
| 3,946,739 | 3/1976 | Berman et al. | 128/276 |

[75] Inventors: **Michael D. Thomas**, Elmhurst; **Francis E. Ryder**, Barrington, both of Ill.

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Richard R. Trexler

[73] Assignee: **Ryder International Corporation**, Schaumburg, Ill.

[57] **CLAIM**

The ornamental design for a combined vacuum curettage vessel and valve closure therefor, substantially as shown and described.

[**] Term: **14 Years**

[21] Appl. No.: **639,648**

[22] Filed: **Dec. 11, 1975**

[51] Int. Cl. **D24—04**

[52] U.S. Cl. **D24/28**

[58] Field of Search 128/276, 304; D83/1 F, D83/1 M, 12 A, 1 Q

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,863,624 2/1975 Gram 128/276

DESCRIPTION

FIG. 1 is a front perspective view of a combined vacuum curettage vessel and valve closure therefor, showing our new design; FIG. 2 is a top plan view thereof; FIG. 3 is a front elevation thereof; FIG. 4 is a rear elevation thereof; FIG. 5 is a left elevation thereof; and FIG. 6 is a right elevation thereof. The broken lines representing the cannula element is shown for illustrative purposes only.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

