

[54] CHAIR

[75] Inventor: **Randall P. Buhk**, Wyoming, Mich.

[73] Assignee: **Steelcase, Inc.**, Grand Rapids, Mich.

[**] Term: **14 Years**

[21] Appl. No.: **610,839**

[22] Filed: **Sept. 5, 1975**

[51] Int. Cl. **D6-01**

[52] U.S. Cl. **D6/56**

[58] Field of Search **D6/20, 26, 30, 31, 47-78**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 224,484	8/1972	Fear	D6/56
D. 234,034	1/1975	Johnson	D6/56
D. 234,478	3/1975	Koepke	D6/56
D. 236,049	7/1975	Tacke	D6/69

Primary Examiner—**Bruce W. Dunkins**

Attorney, Agent, or Firm—**Peter P. Price**

[57] **CLAIM**

The ornamental design for a chair, substantially as shown and described.

DESCRIPTION

FIG. 1 is a frontal perspective view of a chair made in accordance with my design;

FIG. 2 is a front elevational view of the chair;

FIG. 3 is a side elevational view of the chair;


FIG. 4 is a rear elevational view of the chair;

FIG. 5 is a top plan view of the chair;

FIG. 6 is a bottom plan view of the chair; and

FIG. 7 is a generally rear perspective view of the chair.

The design is characterized by the appearance of a swept-back continuous tubular framing portion having leg support members extending upwardly and rearwardly at an angle generally parallel to downwardly extending rear support members disposed at the sides of a tufted back rest cushion which is spaced above the rear edge of the seat cushion and supported at the same angle as the leg support members, all as best shown in FIGS. 1 and 3.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6