

[54] LAMP

[75] Inventor: Hideo Moriyama, Tokyo, Japan

[73] Assignee: Moriyama Sangyo Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 688,245

[22] Filed: May 20, 1976

[30] Foreign Application Priority Data

Dec. 3, 1975 Japan 50-47589

[51] Int. Cl. D26-04

[52] U.S. Cl. D48/33

[58] Field of Search D26/8; 313/110, 113, 313/220, 221, 315, 316, 317, 318; 240/10 R; 220/2.1 R

[56] References Cited

U.S. PATENT DOCUMENTS

487,479	12/1892	Frei	313/315 X
1,965,588	7/1934	Foulke	313/315 X
3,790,998	2/1974	Kaufman et al.	D26/8 UX

OTHER PUBLICATIONS

Duro-Lite Decorative & General Service Light Bulbs, Mar. 1974, p. 2 - light bulb C-15. Lighting & Electrical Design, May 1968, p. 12, "Kyp-Go" light bulb.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Catherine Kemper
Attorney, Agent, or Firm—Norman F. Oblon

[57] CLAIM

The ornamental design for a lamp, or the like, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a lamp showing my new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a sectional view taken along line 3—3 of FIG. 1;
FIG. 4 is a bottom view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a rear view thereof;
FIG. 8 is a perspective front view thereof.
The lamp envelope is shaded in the drawings to indicate contrast.




FIG. 1




FIG. 2





FIG. 3




FIG. 4




FIG. 5

FIG.6




FIG.7




FIG.8

