

United States Patent [19]

Kagayama

[11] **Des. 245,403**

[45] **** Aug. 16, 1977**

[54] **SPOKE-MOUNTED BICYCLE REFLECTOR**

[75] Inventor: **Yuzuru Kagayama, Osaka, Japan**

[73] Assignee: **Tsuyama Manufacturing Company, Ltd., Japan**

[**] Term: **14 Years**

[21] Appl. No.: **597,386**

[22] Filed: **July 18, 1975**

[30] **Foreign Application Priority Data**

Jan. 24, 1975 Japan 50-3362

[51] Int. Cl. **D10-06**

[52] U.S. Cl. **D10/111**

[58] Field of Search D10/109, 111; 350/97, 350/98, 99, 100, 102, 103, 104, 105, 106; 301/375 A

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,541,606 11/1970 Heenan et al. 350/103
D. 236,095 7/1975 Golden D10/111

FOREIGN PATENT DOCUMENTS

174,536 9/1952 Austria 350/99

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—George B. Newitt

[57] **CLAIM**

The ornamental design for a spoke-mounted bicycle reflector, as shown and described.

DESCRIPTION


FIG. 1 is an elevation view of the spoke-mounted bicycle reflector of my design;

FIG. 2 is a top view of the spoke-mounted bicycle reflector of my design; and

FIG. 3 is an end view of the spoke-mounted bicycle reflector of my design.

FIG. 4 is a perspective view of the spoke mounted bicycle reflector of my design, the faceting being partially shown for convenience of illustration, it being understood that the faceting would normally be uniformly continuous over the areas indicated.

The rear elevation has the same appearance as the front elevation and the ends have the same appearance.






FIG. 1



FIG. 2




FIG. 3

Fig. 4

