

[54] CLOCK FACE

[76] Mayfield K. Webb, 5668 Thicket Lane, Columbia, Md. 21044

[**] Term: 14 Years

[21] Appl. No.: 606,714

[22] Filed: Aug. 21, 1975

Related U.S. Application Data

[63] Continuation of Ser. No. 478,984, June 13, 1974, which is a continuation of Ser. No. 489,699, July 18, 1974, which is a continuation of Ser. No. 489,703, July 18, 1974, which is a continuation of Ser. No. 489,721, July 18, 1974.

[51] Int. Cl. D10-07

[52] U.S. Cl. D10/126

[58] Field of Search D10/1-40, D10/122-126 X; 58/39.5, 74, 125 R, 126 A, 127 R

[56] References Cited

U.S. PATENT DOCUMENTS

2,020,872 12/1952 Wyman 58/127 R

D. 104,013 4/1937 Bars D10/26
D. 209,070 10/1967 Hetzel D10/30

FOREIGN PATENT DOCUMENTS

448,323 1/1913 France 58/126

Primary Examiner—Nelson C. Holtje

[57] CLAIM

The ornamental design for a clock face, as described and shown.

DESCRIPTION

FIG. 1 is a front elevational view of a clock face showing my new design, the rear being plain and unornamented;

FIG. 2 is a side elevational view thereof;

FIG. 3 is a front elevational view of another embodiment of my new design of FIG. 1;


FIG. 4 is a side elevational view of FIG. 3;

FIG. 5 is a front elevational view of yet another embodiment of my new design of FIG. 1;

FIG. 6 is a side elevational view of FIG. 5;

FIG. 7 is a front elevational view of a third embodiment of my new design of FIG. 1;

FIG. 8 is a side elevational view of FIG. 7.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8