

[54] ORTHOPEDIC BRACE

[75] Inventor: Elmer M. Arluck, New York, N.Y.

[73] Assignee: Thermo-Mold Medical Products, Inc., New York, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 600,081

[22] Filed: July 29, 1975

[51] Int. Cl. D24-04; D21-02

[52] U.S. Cl. D24/64

[58] Field of Search D83/1 E, 1 J; 273/54 B; 128/87 R, 90, 149, 89 R; D34/5 C, 5 B; D24/64

[56] References Cited

U.S. PATENT DOCUMENTS

3,819,796	6/1974	Webster et al.	128/90
3,850,167	11/1974	Seeley	128/89 R
3,906,943	9/1975	Arluck	128/90
3,975,015	8/1976	Owens	128/87 R X
D. 234,434	3/1975	Trevino	D83/1 R X
D. 239,143	3/1976	Arluck	D83/1 J

Primary Examiner—Bernard Ansher

Attorney, Agent, or Firm—Robert D. Flynn

[57] CLAIM

The ornamental design for an orthopedic brace, as shown and described.

DESCRIPTION

FIG. 1 is an end perspective view of an orthopedic brace showing my new design,

FIG. 2 is a perspective view as seen from the opposite end,

FIG. 3 is a front perspective view thereof,

FIG. 4 is a side perspective view thereof,

FIG. 5 is a side perspective view as seen from the opposite side of FIG. 4,

FIG. 6 is a rear perspective view thereof,

FIG. 7 is an end perspective view of a second modified embodiment of the orthopedic brace illustrated in FIG. 1,

FIG. 8 is a perspective view as seen from the opposite side of FIG. 7,

FIG. 9 is a front perspective view thereof,

FIG. 10 is a side perspective view thereof,

FIG. 11 is a side perspective view as seen from the opposite side of FIG. 10,

FIG. 12 is a rear perspective view thereof,

FIG. 13 is an end perspective view of a third modified embodiment of the orthopedic base illustrated in FIG. 1,

FIG. 14 is a perspective view as seen from the opposite side of FIG. 13,

FIG. 15 is a front perspective view thereof,

FIG. 16 is a side perspective view thereof,

FIG. 17 is a side perspective view as seen from the opposite side of FIG. 16,

FIG. 18 is a rear perspective view thereof,

FIG. 19 is an end perspective view of a fourth modified embodiment of the orthopedic brace illustrated in FIG. 1,

FIG. 20 is a perspective view as seen from the opposite side of FIG. 19,


FIG. 21 is a front perspective view thereof,

FIG. 22 is a side perspective view thereof,

FIG. 23 is a side perspective view as seen from the opposite side of FIG. 22,

FIG. 24 is a rear perspective view thereof, and

FIG. 25 is an alternative rear perspective view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 17




FIG. 16




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25