

[54] **CLOCK**

[75] Inventor: **Yoshisaburo Yoshida, Osaka, Japan**

[73] Assignee: **Sharp Kabushiki Kaisha, Osaka, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **651,518**

[22] Filed: **Jan. 22, 1976**

[30] **Foreign Application Priority Data**  
 July 29, 1975 Japan ..... 50-31535

[51] Int. Cl. .... **D10-01**

[52] U.S. Cl. .... **D10/15**

[58] Field of Search ..... D10/1, 2, 3, 15, 21,  
 D10/24, 25, 26, 27, 70; D56/4 B; 58/152 R, 50  
 R, 50 A, 53-56, 88 G

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

3,872,233	3/1975	Manly .....	D10/125 X
D. 225,429	12/1972	Vuillemier .....	D10/15
D. 234,578	3/1975	Powers .....	D10/15
D. 235,137	5/1975	Muir .....	D10/15


*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Paul D. Flehr

[57] **CLAIM**

The ornamental design for a clock, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a clock showing my new design;  
 FIG. 2 is a top plan view thereof;  
 FIG. 3 is a front elevational view thereof;  
 FIG. 4 is a right side elevational view thereof;  
 FIG. 5 is a rear elevational view thereof; and  
 FIG. 6 is a bottom plan view thereof.






FIG.—1

FIG.—2





FIG.—3




FIG.—4




FIG.—5




FIG.—6