

- [54] **CLOCK**
- [75] **Inventor:** Yoshisaburo Yoshida, Osaka, Japan
- [73] **Assignee:** Sharp Kabushiki Kaisha, Osaka, Japan
- [**] **Term:** 14 Years
- [21] **Appl. No.:** 651,518
- [22] **Filed:** Jan. 22, 1976
- [30] **Foreign Application Priority Data**
 July 29, 1975 Japan 50-31535
- [51] **Int. Cl.** D10-01
- [52] **U.S. Cl.** D10/15
- [58] **Field of Search** D10/1, 2, 3, 15, 21,
 D10/24, 25, 26, 27, 70; D56/4 B; 58/152 R, 50
 R, 50 A, 53-56, 88 G

- [56] **References Cited**
U.S. PATENT DOCUMENTS
 3,872,233 3/1975 Manly D10/125 X
 D. 225,429 12/1972 Vuillemier D10/15
 D. 234,578 3/1975 Powers D10/15
 D. 235,137 5/1975 Muir D10/15


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Paul D. Flehr

[57] **CLAIM**

The ornamental design for a clock, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a clock showing my new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a right side elevational view thereof;
 FIG. 5 is a rear elevational view thereof; and
 FIG. 6 is a bottom plan view thereof.






FIG.—1

FIG.—2





FIG.—3




FIG.—4




FIG.—5




FIG.—6