

[54] VEHICLE TIRE

[75] Inventors: Minoru Nakano, Tokorozawa; Toshiro Tezuka, Higashi-Murayama, both of Japan

[73] Assignee: Bridgestone Tire Company Limited, Kyobashi, Japan

[**] Term: 14 Years

[21] Appl. No.: 623,479

[22] Filed: Oct. 17, 1975

[30] Foreign Application Priority Data

Apr. 17, 1975 Japan 50-15040

[51] Int. Cl. D12-15

[52] U.S. Cl. D12/146

[58] Field of Search D12/136, 134, 146-149, D12/151

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 68,150 9/1925 Love D12/146
- D. 128,139 7/1941 Hawkinson D12/147
- D. 170,862 11/1953 Hawkinson D12/144
- D. 214,229 5/1969 Allen D12/147
- D. 223,888 6/1972 Bartlett D12/146

- D. 225,040 10/1972 Marick D12/148
- D. 239,931 5/1976 Duncan D12/146

OTHER PUBLICATIONS

1971 Tread Design Guide, p. 213, Michelin XK Earth-mover Tire, bottom left side of page.
1971 Tread Design Guide, p. 147, Duralon Super Cross Bar Tire, second tire in from top right side of page.
Tires-TBA Merchandising, Nov. 1956, p. 56, Tire 1, top center of page.

Primary Examiner—Wallace R. Burke
Assistant Examiner—James M. Gandy
Attorney, Agent, or Firm—T. Irving Silverman

[57] CLAIM

The ornamental design for a vehicle tire, substantially as shown.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle tire showing our new design, it being understood that the tread design is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof;

FIG. 4 is a sectional view taken along the line 4-4 of FIG. 2 in the direction indicated generally.




FIG. 1




FIG. 3




FIG. 2





FIG. 4