

[54] **BLOWER**

[75] Inventor: Donald L. Olson, Minneapolis, Minn.

[73] Assignee: Tennant Company, Minneapolis, Minn.

[**] Term: 14 Years

[21] Appl. No.: 605,405

[22] Filed: Aug. 18, 1975

[51] Int. Cl. D23—99

[52] U.S. Cl. D23/162

[58] Field of Search D23/162; 415/219 R,
415/219 A, 219 B, 219 C

[56] **References Cited**

U.S. PATENT DOCUMENTS

1,707,719	4/1929	Goldthwaite	415/219 C
1,805,055	5/1931	Stoetzel	416/223
1,822,009	9/1931	Carr	415/219 C
1,860,068	5/1932	Bassler	D23/162 X
2,341,871	2/1944	Karrer	415/219 C
3,022,740	2/1962	Wilfley et al.	415/219 C
3,301,472	1/1967	Dixon et al.	415/219 C
3,407,995	10/1968	Kinsworthy	D23/162 X
D. 207,359	4/1967	Hajec	D23/162

OTHER PUBLICATIONS

Grainger's Wholesale Net Price Motorbook, No. 337, Winter, 1973-1974, p. 515, models 2c782, 1c939, 2c781.
Grainger's Wholesale Net Price Motorbook, No. 337, Winter, 1973-1974, p. 387, Centrifugal Pumps.

Grainger's Wholesale Net Price Motorbook, No. 337, Winter, 1973-1974, pp. 516, 517, models 2c647 and 2c841.

Sweet's Architectural Catalog File vol. 12, 1973, Section 15.9/For, pp. 5 and 8, models HP, Double Turbo, Heavy Duty Hi Pressure and Special Large HP.

Primary Examiner—Wallace R. Burke

Assistant Examiner—James M. Gandy

Attorney, Agent, or Firm—Clayton R. Johnson

[57] **CLAIM**

The ornamental design for a blower, substantially as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a blower showing my new design;

FIG. 2 is a view in elevation as seen from the opposite side of FIG. 1;

FIG. 3 is a view in elevation as seen from the left of FIG. 2;

FIG. 4 is a top view thereof as seen from above in FIG. 2;

FIG. 5 is a view in elevation as seen from the right in FIG. 2;

FIG. 6 is a side elevational view of a second embodiment of the blower of my new design;

FIG. 7 is a view in elevation as seen from the opposite side of FIG. 6;

FIG. 8 is a view in elevation as seen from the left of FIG. 7;

FIG. 9 is a top view thereof as seen from above in FIG. 7;

FIG. 10 is a view in elevation as seen from the right in FIG. 7;

FIG. 11 is a side elevational view of a third embodiment of the blower of my new design;

FIG. 12 is a view in elevation as seen from the opposite side of FIG. 11;

FIG. 13 is a view in elevation as seen from the left of FIG. 11;

FIG. 14 is a top view as seen from above in FIG. 11;

FIG. 15 is a view in elevation as seen from the left in FIG. 12;



FIG. 16 is a side elevational view of a fourth embodiment of the blower of my new design;

FIG. 17 is a view in elevation as seen from the opposite side in FIG. 16;

FIG. 18 is a view in elevation as seen from the left of FIG. 17;

FIG. 19 is a top view thereof as seen from above in FIG. 17;

FIG. 20 is a view in elevation as seen from the left in FIG. 16.






FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6




FIG 7




FIG 8




FIG 9




FIG 10




FIG 11




FIG 12




FIG 13




FIG 14




FIG 15




FIG 16




FIG 17




FIG 18




FIG 19




FIG 20