

[54] ELECTROAURICULAR THERAPY PROBE

[76] Inventor: Harold E. Smith, 7120 NW. Overlook Drive, Vancouver, Wash. 98665

[\*\*] Term: 14 Years

[21] Appl. No.: 616,188

[22] Filed: Sept. 24, 1975

[51] Int. Cl. .... D24-02

[52] U.S. Cl. .... D24/17

[58] Field of Search ..... 128/303.11, 303.12, 128/303.18, 409, 1.4, 2 Z, 2 H, 2.1 M, 2 N; D83/12 R; D24/17, 23

[56] References Cited

U.S. PATENT DOCUMENTS

2,032,859	3/1936	Wappler	128/303.11
2,321,356	6/1943	Berman	128/1.4
3,295,513	1/1967	Dippolito	128/2 Z
3,757,769	9/1973	Arguimbau et al.	128/2 Z
3,833,115	9/1974	Schapker	128/2 H

3,882,848	5/1975	Klar	128/2 Z
D. 232,325	8/1974	Durden	D83/12 R
D. 241,475	9/1976	Staub	D83/12 R

Primary Examiner—Bernard Ansher  
Attorney, Agent, or Firm—Kenneth S. Klarquist

[57] CLAIM

The ornamental design for an electroauricular therapy probe, as shown and described.

DESCRIPTION

FIG. 1 is a side elevation of an electroauricular therapy probe showing my new design;  
 FIG. 2 is a bottom plan view thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is an enlarged, fragmentary view of the upper end of the probe taken in the direction of the arrows 4—4 of FIG. 1;  
 FIG. 5 is a view similar to FIG. 4 but taken in the direction of the arrows 5—5 of FIG. 1;  
 FIG. 6 is a view similar to FIG. 4, but taken in the direction of the arrows 6—6 of FIG. 4; and  
 FIG. 7 is a view similar to FIG. 4, but taken in the direction of the arrows 7—7 of FIG. 4.




Fig. 3




Fig. 1



Fig. 2

Fig. 4




Fig. 6




Fig. 5




Fig. 7

