

[54] YARN FAULT DETECTOR

[75] Inventor: **Kenneth Albert Jordan**, Oadby,
England

[73] Assignee: **Trip-Lite Ltd.**, England

[**] Term: **14 Years**

[21] Appl. No.: **605,366**

[22] Filed: **Aug. 15, 1975**

[30] **Foreign Application Priority Data**
Feb. 25, 1975 United Kingdom 970006/75

[51] Int. Cl. **D10-04**
[52] U.S. Cl. **D10/46**
[58] Field of Search D10/46, 49, 60, 75,
D10/80, 83, 102-103; 66/161, 163; 28/51;
200/61.18; 139/353, 354, 355, 370, 378

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,789,631	2/1974	Deniega	66/163
3,851,502	12/1974	Hopkins	200/61.18
3,890,810	6/1975	Domig	66/163

OTHER PUBLICATIONS

Montrose Supply & Equip. Cat. No. 74, recv'd. 5/1/73,
p. 121, detector at top left.


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Arnold Sprung

[57] **CLAIM**

The ornamental design for a yarn fault detector, as
shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a yarn fault detector showing my new design;
FIG. 2 is a right front perspective view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left rear perspective view thereof.






FIG. 2




FIG. 1

