United States Patent [19]

Stahel

[11] Des. 246,561

[45] ** Dec. 6, 1977

[54]	COVE	RED S	TORAGE CONTAINER
[75]	Invento	or: A	lvin J. Stahel, Brighton, Minn.
[73]	Assign	ee: B	all Corporation, Muncie, Ind.
[**]	Term:	14	Years
[21]	Appl. N	No.: 65	5,946
[22]	Filed:		b. 6, 1976
[51] Int. Cl. D7—07 [52] U.S. Cl. D7/76 [58] Field of Search D7/16, 17, 18, 19, 21, D7/76, 79, 131, 40; D9/219, 220, 237–240, 222, 192, 267, 254, 281; 229/2.5; 206/518; 220/306, 355			
[56]		R	eferences Cited
	U.S	S. PAT	ENT DOCUMENTS
D. 175 D. 189 D. 195 D. 229 D. 235 3,077	9,594 1,5,903 8,9,395 11,5,621 7,	/1955 /1961 /1963 /1973 /1975 /1963	Hill D7/76 Robinson D9/237 Bogart D9/219 Chang D9/219 Cawrse D9/219
3,884		/1903	McLaughlin

Primary Examiner—Winifred E. Herrmann

Attorney, Agent, or Firm-John W. Malley

[57] CLAIM

The ornamental design for a covered storage container, as shown and described.

DESCRIPTION

FIG. 1 is an exploded elevation view of a first embodiment of the covered storage container of my new design, centered upon a corner between two sides of the covered storage container;

FIG. 2 is a top plan view of the covered storage container;

FIG. 3 is a side elevation view of the covered storage container of FIG. 1, with a portion broken away and sectioned;

FIG. 4 is a bottom plan view of the cover;

FIG. 5 is a top plan view of the covered storage container of FIG. 1, with the cover removed; and

FIG. 6 is a bottom plan view of the covered storage container of FIG. 1;


FIG. 7 is an exploded elevation view of a second embodiment of the covered storage container of my new design, centered upon a corner between two sides of the covered storage container;


FIG. 8 is a side elevation view of the covered storage container of FIG. 7, with a portion broken away and sectioned;


FIG. 9 is a top plan view of the covered storage container of FIG. 7, with the cover removed; and

FIG. 10 is a bottom plan view of the container of FIG. 7.

A top plan view of the covered storage container of FIG. 7 and a bottom plan view of the cover thereof would respectively replicate FIGS. 2 and 4.










F19.









F19. 3



F19.4







F19.6

U.S. Patent

Dec. 6, 1977

Sheet 3 of 3

Des. 246,561

