

# United States Patent [19]

Ooya et al.

[11] **Des. 246,652**

[45] **\*\* Dec. 13, 1977**

[54] **CAMERA OR SIMILAR ARTICLE**

[75] Inventors: **Tetsuro Ooya, Osaka; Keiji Takechi, Takeda-Okenoi, both of Japan**

[73] Assignee: **Minolta Camera Kabushiki Kaisha, Osaka, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **689,898**

[22] Filed: **May 25, 1976**

[30] **Foreign Application Priority Data**

Dec. 1, 1975 Japan ..... 50-47370

[51] Int. Cl. .... **D16-01**

[52] U.S. Cl. .... **D16/06**

[58] Field of Search ..... **D16/1-10;**  
354/75, 83, 100, 126, 151, 152, 159, 174, 170,  
202, 288

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 236,546 8/1975 Shimano et al. .... D16/9  
D. 237,833 11/1975 Winkler et al. .... D16/5

D. 237,834 11/1975 Winkler et al. .... D16/5 X  
D. 241,167 8/1976 Woodring et al. .... D16/6

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Catherine Kemper  
*Attorney, Agent, or Firm*—Meyer A. Gross

[57] **CLAIM**

The ornamental design for a camera or similar article, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a camera or similar article showing our new design.

FIG. 2 is a top plan view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a front elevational view thereof with the closeup lens covering the regular lens;

FIG. 8 is a front elevational view thereof with the lens cap covering the regular lens; and

FIG. 9 is a front perspective view thereof with the electronic flash pulled slightly outwardly from the camera body.




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.

