

[54] ROD FOR UNLOCKING AND LOCKING THE DOOR OF A VEHICLE

2,149,564 3/1939 Waters 81/3 R
3,764,175 10/1973 Yavitch 294/19 R

[76] Inventor: Murray R. Nassau, 9880 W. Bay Harbor Drive, Bay Harbor Island, Fla. 33154

Primary Examiner—Alan P. Douglas

[**] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 749,005

The ornamental design for a rod for unlocking and locking the door of a vehicle, as shown.

[22] Filed: Dec. 9, 1975

DESCRIPTION

[51] Int. Cl. D8—05

FIG. 1 is a longitudinal elevational view of the rod design of the present invention;

[52] U.S. Cl. D8/88

FIG. 2 is a view similar to FIG. 1 with the rod rotated substantially 90° about its longitudinal axis;

[58] Field of Search D8/1 P, 88; 81/3 R; 294/19 R, 50.9

FIG. 3 is a view similar to FIGS. 1 and 2, with the rod further rotated 90° about its longitudinal axis;

FIG. 4 is an elevational view at an enlarged scale of the blunt end of the rod;



[56] References Cited

U.S. PATENT DOCUMENTS

- D. 226,161 1/1973 Paulsen D8/88
- D. 230,128 1/1974 Fistler D8/88 X

FIG. 5 is a vertical, transverse sectional view at an enlarged scale taken along line 5—5 of FIG. 2; and

FIG. 6 is an elevational view at an enlarged scale of the forked end of the rod.






Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5



Fig. 6