

[54] **COMBINED ACTUATOR AND DISPENSING CAP FOR A PRESSURIZED CONTAINER**

[75] **Inventor: Johannes van der Heijden, Nieuwkoop, Netherlands**

[73] **Assignee: S. C. Johnson & Son, Inc., Racine, Wis.**

[**] **Term: 14 Years**

[21] **Appl. No.: 653,339**

[22] **Filed: Jan. 29, 1976**

[51] **Int. Cl. D9-07**

[52] **U.S. Cl. D9/258**

[58] **Field of Search D9/8, 9, 258; 222/402.11-402.15**

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 189,271	11/1960	Hibbs et al.	D9/9
D. 195,701	7/1963	Chermayeff	D9/9
D. 198,344	6/1964	Swett	D9/258
D. 201,718	7/1965	Abplanalp	D9/258
D. 238,855	2/1976	Hayes	D9/258

Primary Examiner—Robert C. Spangler
Attorney, Agent, or Firm—Joseph T. Kivlin


[57]

CLAIM

The ornamental design for a combined actuator and dispensing cap for a pressurized container, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a combined actuator and dispensing cap for a pressurized container.
FIG. 2 is a front elevational view;
FIG. 3 is a rear elevational view;
FIG. 4 is an elevational view looking from the right of FIG. 2; and
FIG. 5 is a top plan view thereof.






FIG. 1




FIG. 4




FIG. 5




FIG. 3




FIG. 2