

[54] **HOUSING FOR A CIRCUIT BREAKER**

[75] Inventor: Albert D. Lisnay, Sarasota, Fla.

[73] Assignee: Heinemann Electric Company,  
Trenton, N.J.

[\*\*] Term: 14 Years

[21] Appl. No.: 651,216

[22] Filed: Jan. 21, 1976

**Related U.S. Application Data**

[63] Continuation of Ser. No. 534,851, Dec. 20, 1974,  
abandoned.

[51] Int. Cl. .... D13—03

[52] U.S. Cl. .... D13/34

[58] Field of Search ..... D26/1 R, 1 A, 13 R,  
D26/1 D; 339/195, 196; 337/62; 335/63;  
200/293

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

3,108,164 10/1963 Bullock et al. .... 337/62  
3,538,476 11/1970 Auchapt et al. .... 337/62

**OTHER PUBLICATIONS**

IBM Technical Disclosure Bulletin vol. 15, No. 5 Oct.

1972, p. 1672, Housing for Adapting Panel Connector  
for Cable.

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Catherine Kemper  
*Attorney, Agent, or Firm*—Joseph G. Denny

[57] **CLAIM**

The ornamental design for housing for a circuit breaker,  
as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a housing for a  
circuit breaker showing my new design, the cap being  
in the depressed position;

FIG. 2 is a rear perspective view thereof, the cap being  
illustrated in the raised position;

FIG. 3 is a front perspective view thereof, the cap being  
illustrated in the raised position;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a top plan view thereof;


FIG. 6 is a front perspective view of a second embodi-  
ment of my design;

FIG. 7 is a rear perspective view thereof;


FIG. 8 is a bottom plan view thereof;

FIG. 9 is a top plan view thereof.


The characteristic feature of my design resides in the  
elongated housing, as shown.




**FIG. 1**





**FIG. 2**



**FIG. 3**




**FIG. 4**





**FIG. 5**


**FIG. 6**



**FIG. 7**



**FIG. 8**



**FIG. 9**