

[54] HOUSING FOR A CIRCUIT BREAKER

[75] Inventor: Albert D. Lisnay, Sarasota, Fla.

[73] Assignee: Heinemann Electric Company, Trenton, N.J.

[**] Term: 14 Years

[21] Appl. No.: 651,216

[22] Filed: Jan. 21, 1976

Related U.S. Application Data

[63] Continuation of Ser. No. 534,851, Dec. 20, 1974, abandoned.

[51] Int. Cl. D13-03

[52] U.S. Cl. D13/34

[58] Field of Search D26/1 R, 1 A, 13 R, D26/1 D; 339/195, 196; 337/62; 335/63; 200/293

[56] References Cited

U.S. PATENT DOCUMENTS

3,108,164 10/1963 Bullock et al. 337/62
3,538,476 11/1970 Auchapt et al. 337/62

OTHER PUBLICATIONS

IBM Technical Disclosure Bulletin vol. 15, No. 5 Oct.

1972, p. 1672, Housing for Adapting Panel Connector for Cable.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Catherine Kemper
Attorney, Agent, or Firm—Joseph G. Denny

[57] CLAIM

The ornamental design for housing for a circuit breaker, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a housing for a circuit breaker showing my new design, the cap being in the depressed position;
FIG. 2 is a rear perspective view thereof, the cap being illustrated in the raised position;
FIG. 3 is a front perspective view thereof, the cap being illustrated in the raised position;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a front perspective view of a second embodiment of my design;
FIG. 7 is a rear perspective view thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is a top plan view thereof.
The characteristic feature of my design resides in the elongated housing, as shown.




FIG. 1




FIG. 2




FIG. 3





FIG. 4




FIG. 5

FIG. 6




FIG. 7





FIG. 8




FIG. 9