

[54] SHOE

[76] Inventor: Tatsuo Fukuoka, No. 3, 3-ban, 2-chome, Shin-Minami-Fukushima, Tokushima, Japan

[**] Term: 14 Years

[21] Appl. No.: 646,529

[22] Filed: Jan. 5, 1976

Related U.S. Application Data

[62] Division of Ser. No. 530,296, Dec. 6, 1974.

Foreign Application Priority Data

[30]	Nov. 1, 1974	Japan	49-38440
	Nov. 1, 1974	Japan	49-38438
	Nov. 8, 1974	Japan	49-39273
	Nov. 8, 1974	Japan	49-39274

[51]	Int. Cl.	D2-04
[52]	U.S. Cl.	D2/269
[58]	Field of Search	D2/268, 269, 264; 36/11, 3 A

[56] References Cited

U.S. PATENT DOCUMENTS

D. 119,654	3/1940	Chedekel	D2/269
D. 232,008	7/1974	Fukuoka	D2/264
D. 240,773	8/1976	Fukuoka	D2/268
1,879,144	9/1932	Emery	36/3 A
1,958,135	5/1934	Dunbar	36/3 A
2,329,819	9/1943	Braun	36/11

FOREIGN PATENT DOCUMENTS

983,707	2/1976	Canada	36/11
---------	--------	--------	-------

OTHER PUBLICATIONS

Boot & Shoe Recorder - 10/73-p. 15-Ventilated moccasin at top center.

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Timothy L. Tilton

[57] CLAIM

The ornamental design for a shoe, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a shoe showing my new design;
 FIG. 2 is a left side elevational view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a right side elevational view thereof.




FIG. 1




FIG. 2





FIG. 3






FIG. 4




FIG. 5




FIG. 6