

[54] DISCOTHEQUE BUILDING

[75] Inventor: James A. Cosentino, Cheektowaga, N.Y.

[73] Assignee: The Executive, A Motor Hotel of Buffalo, Inc., Buffalo, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 637,942

[22] Filed: Dec. 5, 1975

[51] Int. Cl. D25—03

[52] U.S. Cl. D25/11

[58] Field of Search D25/1, 7, 11, 33, 59; D12/71, 72, 80, 195; 52/36

[56] References Cited

U.S. PATENT DOCUMENTS

D. 151,715	11/1948	Rettinger	D25/33
D. 182,880	5/1958	Diffrient	D12/195
3,846,947	11/1974	Short	52/36 X

OTHER PUBLICATIONS

Flight International, Aug. 28, 1975, p. 278, airplane illustration.

Primary Examiner—A. Hugo Word
Attorney, Agent, or Firm—Conrad Christel

[57] CLAIM

The ornamental design for a discotheque building, substantially as shown.

DESCRIPTION

FIG. 1 is a front side perspective view of a building which houses a discotheque according to my new design;
FIG. 2 is a rear side perspective view of the building of FIG. 1;
FIG. 3 is a vertical sectional view taken along line 3—3 of FIG. 2, showing my new design;
FIG. 4 is an interior sectional floor plan view of the discotheque of the building of FIGS. 1-3, showing my new design, the numbers and arrows identifying and showing the direction of subsequent views and the circle on each arrow indicating the location of the camera eye for that particular view;
FIG. 5 is a camera eye perspective view taken from the position and in the direction indicated by the arrow

numbered 5 in the floor plan of FIG. 4, showing my new design;
FIG. 6 is a camera eye perspective view taken from the position and in the direction indicated by the arrow numbered 6 in the floor plan of FIG. 4, showing my new design;
FIG. 7 is a camera eye perspective view taken from the position and in the direction indicated by the arrow numbered 7 in the floor plan of FIG. 4, showing my new design;
FIG. 8 is a camera eye perspective view taken from the position and in the direction indicated by the arrow numbered 8 in the floor plan of FIG. 4, showing my new design;
FIG. 9 is a camera eye perspective view taken from the position and in the direction indicated by the arrow numbered 9 in the floor plan of FIG. 4, showing my new design;
FIG. 10 is a camera eye perspective view taken from the position and in the direction indicated by the arrow numbered 10 in the floor plan of FIG. 4, showing my new design;
FIG. 11 is a camera eye perspective view taken from the position and in the direction indicated by the arrow numbered 11 in the floor plan of FIG. 4, showing my new design;
FIG. 12 is a camera eye perspective view taken from the position and in the direction indicated by the arrow numbered 12 in the floor plan of FIG. 4, showing my new design;
FIG. 13 is a camera eye perspective view taken from the position and in the direction indicated by the arrow numbered 13 in the floor plan of FIG. 4, showing my new design;
FIG. 14 is a fragmentary ceiling plan view at a location corresponding to the central area of the right-hand portion of the floor plan of FIG. 4, showing my new design;
FIG. 15 is a fragmentary ceiling plan view at a location corresponding to the central area of the left-hand portion of the floor plan of FIG. 4, showing my new design; and
FIG. 16 is a camera eye perspective view taken from the same position and in the same direction as the view of FIG. 8 in the floor plan of FIG. 4, showing another embodiment of my new design, this embodiment having a single end wall extending across the entire left-hand end of the floor plan of FIG. 4.




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.




Fig. 5.




Fig. 6.




Fig. 7.




Fig. 8.




Fig. 9.




Fig. 10.




Fig. 11.




Fig. 12.




Fig. 13.



Fig. 14.




Fig. 15.




Fig. 16.

