

[54] SPILL PROOF CUP

[76] Inventor: George M. Barger, 11500 Lorenson Rd., Auburn, Calif. 95603

[**] Term: 14 Years

[21] Appl. No.: 690,977

[22] Filed: May 28, 1976

[51] Int. Cl. D7-01

[52] U.S. Cl. D7/9

[58] Field of Search D7/6-15, D7/3, 65, 59; 220/90.4, 90.2; 215/11 R

[56] References Cited

U.S. PATENT DOCUMENTS

D. 27,886	11/1897	Rogers	D7/9
D. 133,345	8/1942	Gilbert	D7/6
D. 165,778	1/1952	Olsen	D7/6
D. 233,972	12/1974	Juhlin	D7/10
516,354	3/1894	MacMorris	220/90.2 X
2,002,959	5/1935	Matters	D7/70 X

2,622,420	12/1952	Rice	220/90.4 X
2,792,696	5/1957	Stayart	D7/10 X
3,894,649	7/1975	Nicholl	D7/3 X

Primary Examiner—Winifred E. Herrmann
 Attorney, Agent, or Firm—Robert G. West

[57] CLAIM

The ornamental design for a spill proof cup, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a spill proof cup, showing my new design;
 FIG. 2 is a rear elevational view;
 FIG. 3 is an elevational view of the handle side;
 FIG. 4 is an elevational view of the side opposite the handle side;
 FIG. 5 is a top plan view;
 FIG. 6 is a bottom plan view;
 FIG. 7 is a median vertical section taken on the line 6-6 in FIG. 5, showing the removable lid lodged in place with the air vent opposite the drinking spout.





FIG-1




FIG-3




FIG-2





FIG-4







FIG-6




FIG-7