

- [54] **COMBINED TRANSCEIVER
REMOTE-CONTROL MICROPHONE**
- [75] Inventors: **Tsutomu Murakami, Neyagawa;
Benito Mishiro, Sakai, both of Japan**
- [73] Assignee: **Matsushita Electric Industrial Co.,
Ltd., Kadoma, Japan**
- [**] Term: **14 Years**
- [21] Appl. No.: **780,179**
- [22] Filed: **Mar. 22, 1977**
- [30] **Foreign Application Priority Data**
Sep. 28, 1976 Japan 38549/76
- [51] Int. Cl. **D14-01**
- [52] U.S. Cl. **D14/12**
- [58] Field of Search **D14/94, 68, 12, 13,
D14/69; 325/492, 111; 320/2; 179/179, 146 R,
121 D, 122, 115.5 R**

- [56] **References Cited**
- U.S. PATENT DOCUMENTS**
- D. 194,749 5/1963 Deschamps et al. D14/12
- D. 216,374 12/1969 Yran D14/69
- D. 226,093 1/1973 Whiting et al. D14/68
- D. 236,355 8/1975 Yang D14/12
- 3,128,431 4/1964 Walker 179/146 R X

OTHER PUBLICATIONS

Radio Shack Electronic Cat., No. 276, p. 130, C.B. microphone, top left of page.

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Eric H. Waters

[57] **CLAIM**

The ornamental design for a combined transceiver-remote control microphone, as shown.

DESCRIPTION

FIG. 1 is a front and right side perspective view of a combined transceiver-remote control microphone showing our new design, and FIG. 2 is a rear and left side perspective view thereof.




FIG. 1




FIG. 2

