

[54] TELEPHONE STAND

[75] Inventors: Donald Michael Genaro, Haworth, N.J.; John Niel McGarvey, Drexel Hill, Pa.; Gordon Elliot Sylvester, Jamaica, N.Y.

[73] Assignee: Bell Telephone Laboratories, Incorporated, Murray Hill, N.J.

[*] Notice: The portion of the term of this patent subsequent to Nov. 4, 1989, has been disclaimed.

[**] Term: 14 Years

[21] Appl. No.: 604,592

[22] Filed: Aug. 14, 1975

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 469,855, May 14, 1974, which is a continuation-in-part of Ser. No. 424,413, Dec. 13, 1973, abandoned, which is a continuation-in-part of Ser. No. 364,704, May 29, 1973, abandoned.

[51] Int. Cl. D14-03

[52] U.S. Cl. D14/60

[58] Field of Search 179/178, 179, 100 D, 179/100 R, 100 C; D26/14 A; D14/53, 60, 62, 56

[56] References Cited

U.S. PATENT DOCUMENTS

D. 231,650	5/1974	Eubank et al.	D26/14 A
D. 232,562	8/1974	Doyle et al.	D26/14 A
D. 237,506	11/1975	Genaro et al.	D26/14 A
3,859,476	1/1975	Morrell et al.	179/178
3,941,951	3/1976	Engstrom	179/179

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—W. L. Keefauver

[57] CLAIM

The ornamental design for a telephone stand, substantially as shown and described.

DESCRIPTION

FIG. 1 is a side elevation of a telephone stand showing our new design;
FIG. 2 is a top view taken in the direction of arrows 1—1 of FIG. 1 perpendicular to the face of the telephone stand;
FIG. 3 is a front elevation thereof;
FIG. 4 is a rear elevation thereof;
FIG. 5 is a perspective view that is intended to be common for all embodiments of the invention; the stand being broken away to indicate that the only difference between the embodiments reside in variations in the width of the stand;
FIG. 6 is a top view taken in the direction of arrows 1—1 of FIG. 1 perpendicular to the face of a second embodiment of the telephone stand illustrated in FIGS. 1 through 5;
FIG. 7 is a front elevation thereof;
FIG. 8 is a rear elevation thereof;
FIG. 9 is a top view taken in the direction of arrows 1—1 of FIG. 1 perpendicular to the face of a third embodiment of the telephone stand illustrated in FIGS. 1 through 5;
FIG. 10 is a front elevation thereof;
FIG. 11 is a rear elevation thereof;
FIG. 12 is a top view taken in the direction of arrows 1—1 of FIG. 1 perpendicular to the face of a fourth embodiment of the telephone stand illustrated in FIGS. 1 through 5;
FIG. 13 is a front elevation thereof;
FIG. 14 is a rear elevation thereof;
FIG. 15 is a top view taken in the direction of arrows 1—1 of FIG. 1 perpendicular to the face of a fifth embodiment of the telephone stand illustrated in FIGS. 1 through 5;
FIG. 16 is a front elevation thereof;
FIG. 17 is a rear elevation thereof;
FIG. 18 is a top view taken in the direction of arrows 1—1 of FIG. 1 perpendicular to the face of a sixth embodiment of the telephone stand illustrated in FIGS. 1 through 5;
FIG. 19 is a front elevation thereof; and
FIG. 20 is a rear elevation thereof.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20

