
United States Patent [19]

Hart et al.


[11] Des. 248,031


[45] ** May 30, 1978


[54]	FLUID CUSHION SUPPORTED VEHICLE		[56]	References Cited
			U.S. PATENT DOCUMENTS	
[75]	Inventors:	Susan Stuart Hart, Romsey; Paul Dominic Davis, Southampton, both of England	D. 225,575 D. 227,171 3,106,260 3,817,479	6/1973 Wheeler
[73]	Assignee:	Mackley-Ace Limited, Southampton, England	Primary Examiner—Alan P. Douglas Attorney, Agent, or Firm—John Clarke Holman	
			[57]	CLAIM
[**]	Term:	14 Years	The ornamental design for a fluid cushion supported vehicle, as shown and described.	
[21]	Appl. No.:	697,729		DESCRIPTION
[22]	Filed:	Jun. 21, 1976	FIG. 1 is a perspective view, (from one side and the front), of the fluid cushion supported vehicle showing our new design,	
[51] [52] [58]	Int. Cl. D12—14 U.S. Cl. D12/5 Field of Search D12/5; 180/116, 126		FIG. 2 is a side view of the vehicle, (other side corresponds), FIG. 3 is a front end view of the vehicle, and FIG. 4 is a plan view of the vehicle.	




F/G.1.







F/G.3.



F/G.4.

