

[54] LOCKER

[75] Inventors: Wells F. Stackhouse, Ashville;
Douglas A. Barth, Sinclairville, both
of N.Y.

[73] Assignee: American Locker Security Systems,
Inc., Jamestown, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 735,610

[22] Filed: Oct. 19, 1976

[51] Int. Cl. D6-04

[52] U.S. Cl. D6/170

[58] Field of Search D6/158, 159, 160, 163,
D6/165, 166, 167-173, 181, 186; 312/198, 199,
200, 201

[56] References Cited

U.S. PATENT DOCUMENTS

D. 138,391 8/1944 Baird D6/169 X

D. 180,171	4/1957	Band	D6/168
D. 205,950	10/1966	Band	D6/168
D. 205,951	10/1966	Band	D6/168
D. 215,310	9/1969	Marks	D6/168
D. 225,922	1/1973	Rosenberg	D6/168

Primary Examiner—Bruce W. Dunkins
Attorney, Agent, or Firm—John B. Bean

[57] CLAIM

The ornamental design for a locker, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a locker showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is an end elevational view thereof; and

FIG. 6 is an opposite end elevational view thereof.

The back of the locker is conventionally flat and unornamented.




Fig. 1.




Fig. 3.




Fig. 2.




Fig. 5.




Fig. 6.




Fig. 4.

