

[54] SEAM-FREE CAN

[75] Inventor: William T. Saunders, Weirton, W. Va.

[73] Assignee: National Steel Corporation

[\*\*] Term: 14 Years

[21] Appl. No.: 624,947

[22] Filed: Oct. 22, 1975

[51] Int. Cl. .... D9-03

[52] U.S. Cl. .... D9/216

[58] Field of Search ..... 220/66, 70; D9/216, D9/253, 254, 170

[56] References Cited

U.S. PATENT DOCUMENTS

2,025,470	12/1935	Miller	.....	D9/216 X
3,129,730	4/1964	Simon	.....	220/66 X
3,272,383	9/1966	Harvey	.....	D9/216 X
3,690,507	9/1972	Gailus et al.	.....	220/66
3,693,828	9/1972	Kneusel	.....	220/70 X

3,905,507	9/1975	Lyu	.....	220/66
3,979,009	9/1976	Walker	.....	220/66


Primary Examiner—Robert C. Spangler  
Attorney, Agent, or Firm—Paul T. O’Neil

[57] CLAIM


The ornamental design for a seam-free can, substantially as shown and described.

DESCRIPTION



FIG. 1 is a perspective view of a seam-free can embodying my new design;  
FIG. 2 is a diametric cross-sectional view;  
FIG. 3 is a top plan view; and  
FIG. 4 is a bottom plan view thereof.  
The characteristic feature of my design resides in the appearance and configuration of the seam-free can wherein there is a closed end wall with a recessed, outwardly-convex dome which is spaced from the outer sidewall by a chime having an inner wall with a cylindrical portion which is substantially equally spaced from the cylindrical outer sidewall.




**FIG. 1**



**FIG. 2**



**FIG. 3**



**FIG. 4**