United States Patent [19]

Doman

[11] **Des. 248,564**

[45] ** **Jul. 18, 1978**

[54] **SPOUT**

[75] Inventor: **Donald W. Doman**, Janesville, Wis.

[73] Assignee: **Kohler Co.**

[**] Term: **14 Years**

[21] Appl. No.: **779,926**

[22] Filed: **Mar. 21, 1977**

[51] **Int. Cl.** ..... **D23—01**

[52] **U.S. Cl.** **D23/32**

[58] **Field of Search** ..... D23/23–27, D23/32; 4/145, 166, 167, 187 R, 191–208; 137/606, 607, 625.17, 624.4, 625.41, 801

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 65,301	7/1924	Ross	D23/23
D. 169,405	4/1953	Young	D23/32
D. 183,176	7/1958	Morhard	D23/32
D. 184,342	2/1959	Dreyfuss	D23/23
D. 235,099	5/1975	Doman	D23/32
3,459,223	8/1969	Katva	137/625.17

Primary Examiner—James R. Largen
Attorney, Agent, or Firm—Arthur H. Seidel

[57] **CLAIM**

The ornamental design for a spout, as shown.

DESCRIPTION

FIG. **1** is a perspective view of a spout embodying my new design;
FIG. **2** is a side elevational view thereof;
FIG. **3** is a top plan view thereof;
FIG. **4** is a front elevational view thereof;
FIG. **5** is a rear elevational view thereof;
FIG. **6** is a perspective view of a modified form of the spout shown in FIG. **1**;
FIG. **7** is a side elevational view of FIG. **6**;
FIG. **8** is a perspective view of a second modified form of the spout shown in FIG. **1**;
FIG. **9** is a side elevational view of FIG. **8**;
FIG. **10** is a top plan view of FIG. **8**;
FIG. **11** is a front elevational view of FIG. **8**; and
FIG. **12** is a rear elevational view of FIG. **8**.





Fig. 1






Fig. 2

Fig.3



Fig.4




Fig.5




Fig.6





Fig.7

Fig. 8






Fig. 9

Fig. 10




Fig. 11




Fig. 12

