

[54] SPOUT  
 [75] Inventor: Donald W. Doman, Janesville, Wis.  
 [73] Assignee: Kohler Co.  
 [\*\*] Term: 14 Years  
 [21] Appl. No.: 779,926  
 [22] Filed: Mar. 21, 1977  
 [51] Int. Cl. .... D23-01  
 [52] U.S. Cl. .... D23/32  
 [58] Field of Search ..... D23/23-27,  
 D23/32; 4/145, 166, 167, 187 R, 191-208;  
 137/606, 607, 625.17, 624.4, 625.41, 801

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**

D. 65,301	7/1924	Ross .....	D23/23
D. 169,405	4/1953	Young .....	D23/32
D. 183,176	7/1958	Morhard .....	D23/32
D. 184,342	2/1959	Dreyfuss .....	D23/23
D. 235,099	5/1975	Doman .....	D23/32

3,459,223 8/1969 Katva ..... 137/625.17


Primary Examiner—James R. Largen  
Attorney, Agent, or Firm—Arthur H. Seidel

[57] CLAIM



The ornamental design for a spout, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a spout embodying my new design;  
 FIG. 2 is a side elevational view thereof;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a front elevational view thereof;  
 FIG. 5 is a rear elevational view thereof;  
 FIG. 6 is a perspective view of a modified form of the spout shown in FIG. 1;  
 FIG. 7 is a side elevational view of FIG. 6;  
 FIG. 8 is a perspective view of a second modified form of the spout shown in FIG. 1;  
 FIG. 9 is a side elevational view of FIG. 8;  
 FIG. 10 is a top plan view of FIG. 8;  
 FIG. 11 is a front elevational view of FIG. 8; and  
 FIG. 12 is a rear elevational view of FIG. 8.




*Fig. 1*




*Fig. 2*


*Fig. 3*





*Fig. 4*



*Fig. 5*





*Fig. 6*



*Fig. 7*

*Fig. 8*




*Fig. 9*

*Fig. 10*



*Fig. 11*



*Fig. 12*

