

[54] BUCKLE

[75] Inventor: James R. Anthony, Indianapolis, Ind.

[73] Assignee: Indiana Mills & Manufacturing, Inc.

[**] Term: 14 Years

[21] Appl. No.: 736,000

[22] Filed: Oct. 27, 1976

[51] Int. Cl. D8-08

[52] U.S. Cl. D8/395; D8/394

[58] Field of Search D8/354, 355, 356, 394, D8/395, 71, 72; 24/248, 163 R, 263

[56] References Cited

U.S. PATENT DOCUMENTS

D. 209,860	1/1968	Renfroe	D8/394
D. 226,349	2/1973	Brophy	D8/394
D. 245,753	9/1977	D'Atri	D8/395 X
1,279,274	9/1918	Comrie	24/248 R X
1,520,716	12/1924	Judd	24/248 R X

FOREIGN PATENT DOCUMENTS

928,983 6/1963 United Kingdom 24/248 R

Primary Examiner—A. Hugo Word
Attorney, Agent, or Firm—Harold R. Woodard

[57] CLAIM

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a side view of the buckle incorporating my new design.

FIG. 2 is a front or end view of the buckle of FIG. 1.


FIG. 3 is a side view of the buckle of FIG. 2 opposite the side shown in FIG. 1.

FIG. 4 is a view of the buckle end opposite the end shown in FIG. 2.

FIG. 5 is a top view of the buckle of FIG. 2.

FIG. 6 is a bottom view of the buckle of FIG. 2.

FIG. 7 is a cross-sectional view taken along the line 7-7 of FIG. 5 and viewed in the direction of the arrows.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7