

[54] **COMBINED HOOK AND ANCHORAGE CASING**

[75] Inventor: **Lars Fredriksson, Växjö, Sweden**

[73] Assignee: **K A Bergs Smide AB**

[**] Term: **14 Years**

[21] Appl. No.: **631,470**

[22] Filed: **Nov. 13, 1975**

[30] **Foreign Application Priority Data**

May 14, 1975 [SE] Sweden 751022

[51] Int. Cl. **D8-08**

[52] U.S. Cl. **D8/367**

[58] Field of Search D12/54, 60, 53; D8/233, D8/246, 254, 255, 229, 367, 371; 294/82 R, 74, 78; 248/119 R, 499, 503; 280/179

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 160,994	11/1950	Brummel	D8/229
D. 163,568	6/1951	Brummel	D8/229
2,346,099	4/1944	Wilson	D8/232 UX
2,989,336	6/1961	Henry	D12/54
3,418,008	12/1968	Durbin	280/179 R
3,741,599	6/1973	Drayton	294/82 R
3,863,441	2/1975	Kaufmann	294/82 R
3,962,755	6/1976	Buschini et al.	294/82 R

OTHER PUBLICATIONS

TM Hammerlok Assembly Manual, S. G. Taylor Chain Co. Inc., p. 5, Type SOS, top left side of page. Taylor Chain Co. brochure, Sep. 1966, Bulletin 90-B, Tayco hooks.

Primary Examiner—Wallace R. Burke
Assistant Examiner—James M. Gandy
Attorney, Agent, or Firm—William D. Denson

[57] **CLAIM**

The ornamental design for a combined hook and anchorage casing, as shown.

DESCRIPTION

FIG. 1 is a front perspective view of a combined hook and anchorage casing showing my new design; FIG. 2 is a rear perspective view thereof on a reduced scale and with the hook in an alternate position; FIG. 3 is a greatly enlarged top perspective view thereof; FIG. 4 is a greatly enlarged bottom perspective view thereof with the hook and upper portion of the chain omitted for convenience of illustration; FIG. 5 is an enlarged front perspective view illustrating the inside of the anchorage casing with the front wall removed and a portion of the chain and entire hook deleted for clarity of illustration; FIG. 6 is a greatly enlarged front perspective view of the hook, it being understood that the chain and anchorage casing have been omitted for clarity of illustration; and FIG. 7 is a rear perspective view of FIG. 5.




FIG. 1




FIG. 6





FIG. 2




FIG. 7




FIG. 3.




FIG. 4.




FIG. 5





FIG. 6



**UNITED STATES PATENT OFFICE
CERTIFICATE OF CORRECTION**

Patent No. Des. 249,019 Dated August 22, 1978

Inventor(s) Lars Fredriksson

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

In the Description:

Delete the description of FIG. 7 and substitute therefor -- FIG. 7 is a perspective view similar to FIG. 6 but taken from the rear of the hook; and

Fig. 8 is an enlarged elevational view of the interior of the front panel of the anchorage casing --.

In the Drawings:

Sheet 3: change "FIG. 6" to -- FIG. 8 --.

Signed and Sealed this

Tenth Day of July 1979

[SEAL]

Attest:

Attesting Officer

LUTRELLE F. PARKER

Acting Commissioner of Patents and Trademarks