## Bocade

[45] \*\* Aug. 29, 1978

	·		
[54]	COMBINED FURNITURE PULL AND ESCUTCHEON		
[75]	Inventor:	Emil J. Bocade, 135 Lemyra, SE., Wyoming, Mich. 49508	
[73]	Assignee:	Keeler Corporation, Grand Rapids, Mich.	
[**]	Term:	14 Years	
[21]	Appl. No.:	742,330	
[22]	Filed:	Nov. 16, 1976	
[51] [52]	Int. Cl U.S. Cl	D8/301; D8/307 D8/31	
[58]	Field of Se D8/307	arch	
[56]		References Cited	

[56]	References Cited				
U.S. PATENT DOCUMENTS					
D. 57,900	5/1921	Grebe	D8/312		
D. 91,809	3/1934	Ferris	D8/307		
D. 97,376	11/1935	Booth	D8/350		
D. 139,149	10/1944	Dey	D8/310		
D. 152,901	3/1949	Petersen	D8/353		
D. 179,220	11/1956	Russell	D8/302		
D. 196,195	9/1963	Kamb	D8/305		
OTHER PUBLICATIONS					

Hyer Hardware Cat. 0401, 8/1960, p. 13, backplates E-11, D9.

Schlage Custom Hardware Cat. © 1964, p. 10, knob and rose 'Angela'.

Schlage Builder's Hardware, Cat. C-50 9/1951, p. CD-30, 'Monarch' knob and rose.

Primary Examiner—Wallace R. Burke Assistant Examiner—B. J. Bullock Attorney, Agent, or Firm—Peter P. Price

[57] CLAIM

The ornamental design for a combined furniture pull and escutcheon, substantially as shown and described.

## **DESCRIPTION**


FIG. 1 is a perspective view of a combined furniture pull and escutcheon showing my new design; FIG. 2 is a front elevational view of FIG. 1; FIG. 3 is a side elevational view of FIG. 1; FIG. 4 is a rear elevational view of FIG. 1; FIG. 5 is a perspective view of a second embodiment of the design of FIG. 1; FIG. 6 is a front elevational view of FIG. 5; FIG. 7 is a side elevational view of FIG. 5; FIG. 8 is a rear elevational view of FIG. 5; FIG. 9 is a perspective view of a third embodiment of the design of FIG. 1; FIG. 10 is a front elevational view of FIG. 9; FIG. 11 is a side elevational view of FIG. 9; FIG. 12 is a rear elevational view of FIG. 9; FIG. 13 is a perspective view of a fourth embodiment of the design of FIG. 1; FIG. 14 is a front elevational view of FIG. 13;


FIG. 16 is a rear elevational view of FIG. 13; FIG. 17 is a perspective view of a fifth embodiment of the design of FIG. 1; FIG. 18 is a front elevational view of FIG. 17;

FIG. 18 is a front elevational view of FIG. 17; FIG. 19 is a side elevational view of FIG. 17;

FIG. 15 is a side elevational view of FIG. 13;

FIG. 20 is a rear elevational view of FIG. 17.









FIG.13.



Aug. 29, 1978

F16.14.






FIG.15.



F16.16.



F16.17.




FIG.18.




FIG. 19.




FIG.20.







FIG.21.



F1G. 22.



F16.23.



F16.24.

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.: Des. 249,118

DATED : August 29, 1978

INVENTOR(S): Emil J. Bocade

It is certified that error appears in the above—identified patent and that said Letters Patent are hereby corrected as shown below:

In the drawings:

please cancel Figs. 21-24

Signed and Sealed this

Seventeenth. Day of July 1979

[SEAL]

Attest:

Attesting Officer

LUTRELLE F. PARKER Acting Commissioner of Patents and Trademarks