

- [54] **WIRELESS LIGHT FIXTURE**
- [75] **Inventor: Whitley Pemberton, Stoughton, Wis.**
- [73] **Assignee: ESB Ray-O-Vac Management Corporation, Philadelphia, Pa.**
- [\*\*] **Term: 14 Years**
- [21] **Appl. No.: 666,862**
- [22] **Filed: Mar. 15, 1976**
- [51] **Int. Cl. .... D26-05**
- [52] **U.S. Cl. .... D48/4 B**
- [58] **Field of Search .... D48/4 B, 20 E, 23 R; 240/10.5, 10.6 R, 10.61, 73 R, 78 R, 100, 106, 73 DA, 73 QD**

- [56] **References Cited**
  - U.S. PATENT DOCUMENTS**
  - D. 221,893 9/1971 Peasley ..... D48/4 B
  - 1,913,696 6/1933 Wiley et al. .... 240/10.6 R
  - FOREIGN PATENT DOCUMENTS**
  - 625,688 9/1961 Italy ..... 240/73 R

99,878 12/1961 Netherlands ..... 240/106  
837,214 6/1960 United Kingdom ..... 240/73 R

**OTHER PUBLICATIONS**

Light & Lighting (England) Mar. 1971, p. 97 Bulkhead Light.


*Primary Examiner*—Susan J. Lucas  
*Attorney, Agent, or Firm*—Robert H. Robinson

[57] **CLAIM**

The ornamental design for a wireless light fixture, as shown.

**DESCRIPTION**

FIG. 1 is a front elevation of the wireless light fixture showing my design.  
FIG. 2 is a top plan view of the wireless light fixture.  
FIG. 3 is a side elevation of the wireless light fixture.  
FIG. 4 is an elevation of one end of the wireless light fixture.  
FIG. 5 is an elevation of the other end of the wireless light fixture.  
FIG. 6 is an elevation of the back of the wireless light fixture.






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6