

[54] EMERGENCY LIGHT

[75] Inventors: Masahiko Yamada; Tadanori Fujiwara, both of Moriguchi, Japan

[73] Assignee: Sanyo Electric Co., Ltd., Moriguchi, Japan

[**] Term: 14 Years

[21] Appl. No.: 802,409

[22] Filed: Jun. 1, 1977

[30] Foreign Application Priority Data

Dec. 3, 1976 [JP] Japan 51/47802

[51] Int. Cl. D26-02

[52] U.S. Cl. D48/24 R

[58] Field of Search D48/24 R; 240/10.5, 240/10.6 R, 10.61, 10.63, 10.65, 10.67, 10.68

[56] References Cited

U.S. PATENT DOCUMENTS

D. 230,420 2/1974 Brindley D48/24 R
D. 234,001 12/1974 Strowe et al. D48/24 R

FOREIGN PATENT DOCUMENTS

1,149,025 7/1957 France 262/201

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Richard C. Sughrue

[57] CLAIM

The ornamental design for an emergency light, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of an emergency light showing our new design;

FIG. 2 is a top plan view;

FIG. 3 is a rear, left side and bottom perspective view;

FIG. 4 is a front view; and

FIG. 5 is an exploded, front, top and right side perspective view of the emergency light with a detachable filter positioned adjacent thereto and the handle rotated from the position shown in FIGS. 1-4 inclusive.

The characteristic features of our design reside in the removable filter and rotatable handle as best shown in FIG. 5.




FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5

