

[54] EMERGENCY LIGHT

[75] Inventors: Masahiko Yamada; Tadanori
Fujiwara, both of Moriguchi, Japan
[73] Assignee: Sanyo Electric Co., Ltd., Moriguchi,
Japan
[**] Term: 14 Years
[21] Appl. No.: 802,409
[22] Filed: Jun. 1, 1977

[30] Foreign Application Priority Data
Dec. 3, 1976 [JP] Japan 51/47802
[51] Int. Cl. D26-02
[52] U.S. Cl. D48/24 R
[58] Field of Search D48/24 R; 240/10.5,
240/10.6 R, 10.61, 10.63, 10.65, 10.67, 10.68

[56] References Cited
U.S. PATENT DOCUMENTS

D. 230,420 2/1974 Brindley D48/24 R
D. 234,001 12/1974 Strowe et al. D48/24 R

FOREIGN PATENT DOCUMENTS

1,149,025 7/1957 France 262/201

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Richard C. Sughrue

[57] CLAIM

The ornamental design for an emergency light, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of an emergency light showing our new design;
FIG. 2 is a top plan view;
FIG. 3 is a rear, left side and bottom perspective view;
FIG. 4 is a front view; and
FIG. 5 is an exploded, front, top and right side perspective view of the emergency light with a detachable filter positioned adjacent thereto and the handle rotated from the position shown in FIGS. 1-4 inclusive.
The characteristic features of our design reside in the removable filter and rotatable handle as best shown in FIG. 5.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

