

[54] COMBINED INTRUSION DETECTOR AND ALARM

[75] Inventor: Toru Kobayakawa, Osaka, Japan

[73] Assignee: Hokuyo Automatic Co., Ltd., Osaka, Japan

[**] Term: 7 Years

[21] Appl. No.: 788,051

[22] Filed: Apr. 15, 1977

[51] Int. Cl. D10-05

[52] U.S. Cl. D10/106

[58] Field of Search D10/104, 106, 121; D13/32, 40, 41; 340/227 R, 227.1, 228 R, 228.1, 237 R, 237 S, 258 R, 276; 343/5 PD, 18 E

[56] References Cited

U.S. PATENT DOCUMENTS

D. 191,581	10/1961	Scharfenberg et al.	D10/104 X
D. 222,941	2/1972	Knutson	D10/104 X
3,623,088	11/1971	Peterson	240/227 R X

OTHER PUBLICATIONS

New Equipment Digest, Mar. 1976, p. 56, Back-up alarm.

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Gabriel M. Frayne

[57] CLAIM

The ornamental design for a combined intrusion detector and alarm, as shown.

DESCRIPTION

FIG. 1 is a front, right side and top perspective view of a combined intrusion detector and alarm showing my new design,

FIG. 2 is a left side elevational view thereof,

FIG. 3 is a rear elevational view thereof, and

FIG. 4 is a bottom plan view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

