

Ohie et al.

[54] SPHYGMOMANOMETER

[75] Inventors: **Yoshihisa Ohie; Junichi Sakamoto; Shinichi Yokoyama**, all of Osaka, Japan

[73] Assignee: **Sharp Kabushiki Kaisha**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **770,945**

[22] Filed: **Feb. 22, 1977**

[30] Foreign Application Priority Data
Aug. 20, 1976 [JP] Japan 51-32965

[51] Int. Cl. **D24-02; D10-04**
[52] U.S. Cl. **D24/21; D10/85**
[58] Field of Search **D24/21; 128/2.05 G; D10/84, 85; 73/402**

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 232,781	9/1974	Rackowski et al.	D24/21
D. 238,717	2/1976	Peart et al.	D24/21
D. 243,799	3/1977	Bell	D24/21
D. 245,203	7/1977	Cuccio	D24/21
3,613,668	10/1971	Beck et al.	128/2.05 G
3,670,720	6/1972	Panzer	128/2.05 G

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Paul D. Flehr



[57]


CLAIM

The ornamental design for a sphygmomanometer, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view of the sphygmomanometer showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a plan view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevational view thereof; and
FIG. 7 is a left side elevational view thereof.







FIG_1




FIG_4




FIG_2




FIG_5



FIG_3



FIG_6



FIG_7