

[54] **COMBINED INK ROLLER AND HOLDER THEREFOR**

[75] Inventor: Yo Sato, Tokyo, Japan

[73] Assignee: Kabushiki Kaisha Sato Kenkyusho, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 767,450

[22] Filed: Feb. 10, 1977

[30] **Foreign Application Priority Data**

Nov. 26, 1976 [JP] Japan 51-45972
Nov. 26, 1976 [JP] Japan 51-45973

[51] Int. Cl. D18—99

[52] U.S. Cl. D64/10

[58] Field of Search D64/10, 11 R, 18, DIG. 32;
101/160, 164, 213, 288, 290, 338, 293-295, 359,
323-325; 156/384

[56] **References Cited**

U.S. PATENT DOCUMENTS

3,619,324 11/1971 Sato et al. D64/10 X
3,742,851 7/1973 Hamisch, Sr. 101/295
3,880,078 4/1975 Pelet 101/269 X
3,968,745 7/1976 Hamisch, Jr. 101/288 X
4,044,677 8/1977 Hamisch, Jr. 101/295 X

Primary Examiner—Joel Stearman

Assistant Examiner—Louis S. Zarfes

Attorney, Agent, or Firm—Sidney G. Faber

[57] **CLAIM**

The ornamental design for a combined ink roller and holder therefor, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a combined ink roller and holder therefor showing my new design;

FIG. 2 is one side elevational view thereof, it being understood that the opposite side elevational view thereof would be a mirror image;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a perspective view thereof;

FIG. 7 is a top plan view of a combined ink roller and holder therefor showing a modified form of my new design;

FIG. 8 is one side elevational view of the modified form thereof, it being understood that the opposite side elevational view would be a mirror image;

FIG. 9 is a bottom plan view of the modified form thereof;

FIG. 10 is a front elevational view of the modified form thereof;

FIG. 11 is a rear elevational view of the modified form thereof;

FIG. 12 is a perspective view of the modified form thereof.

FIG. 13 is a cross-sectional view of the second embodiment of the ink roller holder along the line 13—13 in FIG. 8;

FIG. 14 is a perspective view of the second embodiment of ink roller holder.





FIG. 1




FIG. 4




FIG. 2




FIG. 5




FIG. 3




FIG. 6




FIG. 7




FIG. 10




FIG. 8




FIG. 11




FIG. 9




FIG. 12

