

[54] COMBINED PIPE HANGER AND SEISMIC BRACE

[76] Inventor: James R. McDonald, Jr., 1133 Blumenfeld Dr., Sacramento, Calif. 95815

[\*\*] Term: 14 Years

[21] Appl. No.: 770,185

[22] Filed: Feb. 18, 1977

[51] Int. Cl. .... D8-08

[52] U.S. Cl. .... D8/355; D8/363; D8/380

[58] Field of Search ..... 248/49, 65, 58, 59, 248/60, 61, 62, 63; D6/354, 355, 363, 364, 373, 380, 396

[56]

References Cited

U.S. PATENT DOCUMENTS

1,453,964	5/1923	Wolbert .....	248/3 X
3,059,883	10/1962	Matthiessen .....	248/49
4,053,706	10/1977	Houston .....	248/63 X
4,078,752	3/1978	Kindorf .....	248/59 X

Primary Examiner—A. Hugo Word  
Attorney, Agent, or Firm—Robert G. West

[57]

CLAIM

The ornamental design for a combined pipe hanger and seismic brace, as shown and described.

DESCRIPTION

FIG. 1 is an elevational view of one side of a combined pipe hanger and seismic brace, showing my new design, the opposite side being a mirror image thereof; FIG. 2 is a front elevational view; FIG. 3 is a bottom plan view; and, FIG. 4 is a rear elevational view.





