

[54] FIRE EXTINGUISHER HOUSING

[76] Inventors: Arthur R. Dooley, 211 Central
Caldwood, Beaumont, Tex. 77707;
Arthur R. Dooley, Jr., 2575 Ashley,
Beaumont, Tex. 77702; Donald E.
Richert, 3340 Kipling Dr.,
Beaumont, Tex. 77706

[**] Term: 14 Years

[21] Appl. No.: 788,076

[22] Filed: Apr. 15, 1977

[51] Int. Cl. D29-01

[52] U.S. Cl. D6/127; D29/5;
169/51; 312/138 R

[58] Field of Search 312/138 R, 242, 204,
312/108, 290; D6/114, 130, 167, 172; 169/51;
220/18; D29/5

[56]

References Cited

U.S. PATENT DOCUMENTS

D. 220,430	4/1971	Neumann	D6/127
D. 220,762	5/1971	Dial, Jr. et al.	D6/127
3,942,669	3/1976	Savage, Jr.	312/204 X
4,034,697	7/1977	Russell	169/51 X
4,046,439	9/1977	Lee	169/51 X

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Paul Van Slyke

[57]

CLAIM

The ornamental design for a fire extinguisher housing,
as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a fire extinguisher hous-
ing showing our new design;


FIG. 2 is a side view of the housing;

FIG. 3 is a top view of the fire extinguisher housing; and

FIG. 4 is an isometric view of the fire extinguisher

housing illustrating the cover in a semi-opened position.

The broken lines are shown for illustration purposes
only.






FIG. 1

FIG. 2




FIG. 3




FIG. 4

