

[54] ADJUSTABLE HEAD ELECTRONIC FLASH UNIT

[75] Inventor: Masahiro Kando, Tokyo, Japan

[73] Assignee: Canon Kabushiki, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 773,686

[22] Filed: Mar. 2, 1977

[30] Foreign Application Priority Data

Sep. 7, 1976 [JP] Japan 51/35272

[51] Int. Cl. D16-05

[52] U.S. Cl. D16/42

[58] Field of Search D16/6, 10, 42; 354/126, 354/141, 145; 240/2 C, 1.3

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 233,257 10/1974 Holtje D16/42
- D. 234,370 2/1975 Oberheim D16/42

- D. 239,204 3/1976 Holtje et al. D16/42
- D. 241,538 9/1976 Swayze D16/42
- D. 243,009 1/1977 Schade D16/42
- 3,969,737 7/1976 Kendrick 354/145 X

Primary Examiner—Wallace R. Burke
Assistant Examiner—Catherine Kemper
Attorney, Agent, or Firm—Joseph M. Fitzpatrick

[57] CLAIM

The ornamental design for the adjustable-head electronic flash unit, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an adjustable-head electronic flash unit showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; FIG. 7 is a front perspective view thereof; FIG. 8 is a front perspective view thereof, with the light emitting element shown in an alternate position.





FIG. 1




FIG. 2




FIG. 5




FIG. 6




FIG. 3




FIG. 4




FIG. 7




FIG. 8

