

[54] **ROTATABLE HANGER FOR POTTED PLANTS OR THE LIKE**

[76] Inventor: **Michael G. Wendler**, 1430 E. 1700 South, Salt Lake City, Utah 84105

[**] Term: **14 Years**

[21] Appl. No.: **669,158**

[22] Filed: **Mar. 22, 1976**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 563,580, Mar. 31, 1975, abandoned.

[51] Int. Cl. **D6—06; D8—08**

[52] U.S. Cl. **D6/113; D6/137; D8/373**

[58] **Field of Search** **D6/20, 28, 85, 87, 93, D6/113, 132, 134, 135, 137, 179, 182, 186; D8/323, 325, 330, 339, 354, 373, 380—382; D11/143, 148, 149, 152, 155; 47/66, 67, 70, 72, 39; 211/74, 75, 113, 117, 115, 118; 248/317, 318, 339, 322, 323, 342; 24/73 CE, 73 PS, 73 HL, 81 FH, 73 HH**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 231,079	4/1974	Saito	D8/114
816,264	3/1906	Soper	24/73 HH
1,122,494	12/1914	Garvin	248/342
1,688,293	10/1928	Barrett	24/73 CE
1,908,587	5/1933	D'Olier, Jr.	248/342
2,370,406	2/1945	King	24/73 HH
3,006,481	10/1961	Gussack	211/117
3,286,315	11/1966	Price	24/73 CE
3,957,242	5/1976	Holtz	47/67
3,985,327	10/1976	Holtz	248/318

FOREIGN PATENT DOCUMENTS

286364	2/1899	France	248/317
475121	10/1952	Italy	24/73 HH

OTHER PUBLICATIONS

Belknap Hardware Cat. III, 1953, p. 3048, "S" hook.
 Belknap Hardware Cat. III, 1953, p. 425, "C" ring.
 Belknap Hardware Cat. III, 1950, p. 2496, snap.
 Belknap Hardware Cat. III, 1953, hook, p. 3050.
 Belknap Hardware Cat. III, 1953, p. 3049, "C" link.
 S. G. Taylor Chain Co. Inc., 1966, p. 13, "S" hook.

Primary Examiner—Wallace R. Burke

Assistant Examiner—B. J. Bullock

Attorney, Agent, or Firm—Donald D. Mon

[57] **CLAIM**

The ornamental design for a rotatable hanger for potted plants or the like, as shown and described.

DESCRIPTION

FIG. 1 is an enlarged front elevational view of a rotatable hanger for potted plants or the like showing my new design; the portion of a ceiling, mounting bracket, and plant pot being shown in broken lines for illustrative purposes only;

FIG. 2 is an enlarged side elevational view taken from the right of FIG. 1;

FIG. 3 is an enlarged front elevational view of a second embodiment of the design of FIG. 1;

FIG. 4 is an enlarged side elevational view taken from the right of FIG. 3;

FIG. 5 is a front elevational view of a third embodiment of the design of FIG. 1;

FIG. 6 is a side elevational view of a fourth embodiment of the design of FIG. 1, the appearance of this embodiment being the same as that of FIG. 5 except for the addition of the rings;

FIG. 7 is a front elevational view of a fifth embodiment of the design of FIG. 1;

FIG. 8 is a side elevational view of a sixth embodiment of the design of FIG. 1, the appearance of this embodiment being the same as that of FIG. 7 except for the addition of the rings;

FIG. 9 is a front elevational view of a seventh embodiment of the design of FIG. 1;

FIG. 10 is a side elevational view of an eighth embodiment of the design of FIG. 1, the appearance of this embodiment being the same as that of FIG. 9 except for the addition of the rings;

FIG. 11 is a front elevational view of a ninth embodiment of the design of FIG. 1;

FIG. 12 is a side elevational view of a tenth embodiment of the design of FIG. 1, the appearance of this embodiment being the same as that of FIG. 11 except for the addition of the rings;

FIG. 13 is a front elevational view of an eleventh embodiment of the design of FIG. 1;

FIG. 14 is a side elevational view of a twelfth embodiment of the design of FIG. 1; the appearance of this embodiment being the same as that of FIG. 13 except for the addition of the rings.



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13



FIG. 14

