

- [54] **ROTATABLE HANGER FOR POTTED PLANTS OR THE LIKE**
- [76] Inventor: **Michael G. Wendler**, 1430 E. 1700 South, Salt Lake City, Utah 84105
- [**] Term: **14 Years**
- [21] Appl. No.: **669,158**
- [22] Filed: **Mar. 22, 1976**

Related U.S. Application Data

- [63] Continuation-in-part of Ser. No. 563,580, Mar. 31, 1975, abandoned.
- [51] Int. Cl. **D6—06; D8—08**
- [52] U.S. Cl. **D6/113; D6/137; D8/373**
- [58] Field of Search **D6/20, 28, 85, 87, 93, D6/113, 132, 134, 135, 137, 179, 182, 186; D8/323, 325, 330, 339, 354, 373, 380—382; D11/143, 148, 149, 152, 155; 47/66, 67, 70, 72, 39; 211/74, 75, 113, 117, 115, 118; 248/317, 318, 339, 322, 323, 342; 24/73 CE, 73 PS, 73 HL, 81 FH, 73 HH**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 231,079	4/1974	Saito	D8/114
816,264	3/1906	Soper	24/73 HH
1,122,494	12/1914	Garvin	248/342
1,688,293	10/1928	Barrett	24/73 CE
1,908,587	5/1933	D'Olier, Jr.	248/342
2,370,406	2/1945	King	24/73 HH
3,006,481	10/1961	Gussack	211/117
3,286,315	11/1966	Price	24/73 CE
3,957,242	5/1976	Holtz	47/67
3,985,327	10/1976	Holtz	248/318

FOREIGN PATENT DOCUMENTS

286364	2/1899	France	248/317
475121	10/1952	Italy	24/73 HH

OTHER PUBLICATIONS

- Belknap Hardware Cat. III, 1953, p. 3048, "S" hook.
- Belknap Hardware Cat. III, 1953, p. 425, "C" ring.
- Belknap Hardware Cat. III, 1950, p. 2496, snap.
- Belknap Hardware Cat. III, 1953, hook, p. 3050.
- Belknap Hardware Cat. III, 1953, p. 3049, "C" link.
- S. G. Taylor Chain Co. Inc., 1966, p. 13, "S" hook.

Primary Examiner—Wallace R. Burke
Assistant Examiner—B. J. Bullock
Attorney, Agent, or Firm—Donald D. Mon

[57] **CLAIM**

The ornamental design for a rotatable hanger for potted plants or the like, as shown and described.

DESCRIPTION

FIG. 1 is an enlarged front elevational view of a rotatable hanger for potted plants or the like showing my new design; the portion of a ceiling, mounting bracket, and plant pot being shown in broken lines for illustrative purposes only;
 FIG. 2 is an enlarged side elevational view taken from the right of FIG. 1;
 FIG. 3 is an enlarged front elevational view of a second embodiment of the design of FIG. 1;
 FIG. 4 is an enlarged side elevational view taken from the right of FIG. 3;
 FIG. 5 is a front elevational view of a third embodiment of the design of FIG. 1;
 FIG. 6 is a side elevational view of a fourth embodiment of the design of FIG. 1, the appearance of this embodiment being the same as that of FIG. 5 except for the addition of the rings;
 FIG. 7 is a front elevational view of a fifth embodiment of the design of FIG. 1;
 FIG. 8 is a side elevational view of a sixth embodiment of the design of FIG. 1, the appearance of this embodiment being the same as that of FIG. 7 except for the addition of the rings;
 FIG. 9 is a front elevational view of a seventh embodiment of the design of FIG. 1;
 FIG. 10 is a side elevational view of an eighth embodiment of the design of FIG. 1, the appearance of this embodiment being the same as that of FIG. 9 except for the addition of the rings;
 FIG. 11 is a front elevational view of a ninth embodiment of the design of FIG. 1;
 FIG. 12 is a side elevational view of a tenth embodiment of the design of FIG. 1, the appearance of this embodiment being the same as that of FIG. 11 except for the addition of the rings;
 FIG. 13 is a front elevational view of an eleventh embodiment of the design of FIG. 1;
 FIG. 14 is a side elevational view of a twelfth embodiment of the design of FIG. 1; the appearance of this embodiment being the same as that of FIG. 13 except for the addition of the rings.



FIG. 1




FIG. 2




FIG 3




FIG. 4



FIG. 5




FIG 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13



FIG. 14

