

[54] PNEUMATIC TIRE TREAD AND BUTTRESS

[75] Inventor: Dionysius J. Poque, Aachen, Fed.
Rep. of Germany

[73] Assignee: Uniroyal Aktiengesellschaft, Fed.
Rep. of Germany

[**] Term: 14 Years

[21] Appl. No.: 806,255

[22] Filed: Jun. 13, 1977

[30] Foreign Application Priority Data

Dec. 23, 1976 [DE] Fed. Rep. of Germany ... 20 MR 3159

[51] Int. Cl. D12—15

[52] U.S. Cl. D12/147

[58] Field of Search D12/141-143,
D12/145-151; 152/209

[56] References Cited

U.S. PATENT DOCUMENTS

3,645,314 2/1972 Verdier 152/209

FOREIGN PATENT DOCUMENTS

186798 6/1954 Sweden 152/209 R

OTHER PUBLICATIONS

1970 Tread Design Guide, p. 114, CB1 Traction Tire,
center right side of page.

1970 Tread Design Guide, p. 185, Continental Titan
Light Tire, top left side of page.

1971 Tread Design Guide, p. 175, Phillips 66 Super XT
Heavy Duty Tire, center of page.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Charles A. Blank

[57] CLAIM

The ornamental design for a pneumatic tire tread and
buttress, substantially as shown and described.


DESCRIPTION

FIG. 1 is a perspective view, partly schematic, of a
pneumatic tire tread and buttress embodying my new
design, it being understood that the pattern is repeated
throughout the circumference of the tread and buttress,
as shown schematically by solid lines, and that the but-
tress pattern is repeated on the opposite side;

FIG. 2 is an enlarged, fragmentary developmental plan
view of the tread and buttress of FIG. 1;

FIG. 3 is an enlarged fragmentary, side elevational view
of the tread and buttress of FIG. 1; and

FIG. 4 is an enlarged sectional view of the tread and
buttress, taken substantially as indicated by line 4—4 of
FIG. 2.






Fig. 1.





Fig. 2.




Fig. 3.




Fig. 4.