

[54] **COMBINED MIRROR AND DISPLAY UNIT  
FOR EYEGGLASS FRAMES**

[75] Inventor: **Stephen U. Winig, Narberth, Pa.**

[73] Assignee: **American Optical Corporation,  
Southbridge, Mass.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **893,841**

[22] Filed: **Apr. 4, 1978**

[51] Int. Cl. .... **D20-02**

[52] U.S. Cl. .... **D6/157; D6/130;  
D6/172; D6/233**

[58] Field of Search .... **D6/20, 27-29,  
D6/85, 114, 130, 157, 188, 172, 233, 242, 244,  
23, 24; 211/13, 87, 88; 40/124, 124.1, 124.2;  
248/DIG. 2**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

1,492,113 4/1924 Welsh ..... 211/13  
2,816,666 12/1957 Nadel ..... 211/13

3,333,708 8/1967 Leblanc et al. .... 211/13

**FOREIGN PATENT DOCUMENTS**

1385605 12/1964 France ..... 211/13

*Primary Examiner*—Wallace R. Burke

*Assistant Examiner*—B. J. Bullock

*Attorney, Agent, or Firm*—Jeremiah J. Duggan

[57] **CLAIM**

The ornamental design for a combined mirror and display unit for eyeglass frames, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a combined mirror and display unit for eyeglass frames embodying my new design;


FIG. 2 is a top plan view of FIG. 1;

FIG. 3 is a side elevational view of FIG. 1, the side opposite being a mirror image thereof;


FIG. 4 is a rear elevational view of FIG. 1;

FIG. 5 is a perspective view of a second embodiment of the design of FIG. 1, the only difference being the addition of rectangular depressions on either side of the three columns.







*Fig. 1*




*Fig. 2*



*Fig. 3*



*Fig. 4*



*Fig. 5*