

[54] PNEUMATIC TIRE TREAD AND BUTTRESS

[75] Inventors: Henri J. Mirtain, Compiègne, France; Paul H. Moltzheim, Aachen, Fed. Rep. of Germany; Karl A. Grosch, Roetgen, Rott, Fed. Rep. of Germany; Gert Schlösser, Aachen, Fed. Rep. of Germany; Daniel J. M. Hensgens, Ubach-Overworms, Netherlands

[73] Assignee: Uniroyal Aktiengesellschaft, Fed. Rep. of Germany

[\*\*] Term: 14 Years

[21] Appl. No.: 806,786

[22] Filed: Jun. 15, 1977

[30] Foreign Application Priority Data

Jan. 10, 1977 [DE] Fed. Rep. of Germany ..... 3161

[51] Int. Cl. .... D12-15

[52] U.S. Cl. .... D12/143

[58] Field of Search ..... D12/141-143, D12/145-151

[56] References Cited

U.S. PATENT DOCUMENTS

D. 239,931 5/1976 Duncan ..... D12/146

OTHER PUBLICATIONS

1970 Tread Design Guide, p. 10, Uniroyal Snowplow Tire, top of page.

Modern Tire Dealer, 12/75, p. 34, Steelmaster L-2 Tire, second tire down from top of page.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Charles A. Blank

[57] CLAIM

The ornamental design for a pneumatic tire tread and buttress, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view, partly schematic, of a pneumatic tire tread and buttress embodying my new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, as shown schematically by solid lines, and that the buttress pattern is repeated on the opposite side;

FIG. 2 is an enlarged, fragmentary developmental plan view of the tread and buttress of FIG. 1;

FIG. 3 is an enlarged, fragmentary, side elevational view of the tread and buttress of FIG. 1; and

FIG. 4 is an enlarged, sectional view of the tread and buttress, taken substantially as indicated by line 4-4 of FIG. 2.





Fig. 1.






Fig. 2.

Fig. 3.




Fig. 4.

