

[54] PNEUMATIC TIRE TREAD AND BUTTRESS

[75] Inventor: Hans J. Voegler, Roggenweg 6, 5120 Herzogenrath-Merkstein, Fed. Rep. of Germany

[73] Assignee: Uniroyal GmbH, Aachen, Fed. Rep. of Germany

[**] Term: 14 Years

[21] Appl. No.: 819,433

[22] Filed: Jul. 27, 1977

[30] Foreign Application Priority Data

Jan. 31, 1977 [DE] Fed. Rep. of Germany 3163

[51] Int. Cl. D12-15

[52] U.S. Cl. D12/148

[58] Field of Search D12/141-143, D12/145-151; 152/209

[56] References Cited

U.S. PATENT DOCUMENTS

D. 233,325 10/1974 Smajd D12/147

OTHER PUBLICATIONS

1971 Tread Design Guide, p. 125, Agway 890 Truck

Mud & Snow Tire, top right side of page; p. 165, Michelin XB1-Ply Tire, center left side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Charles A. Blank

[57] CLAIM

The ornamental design for a pneumatic tire tread and buttress, substantially as shown and described.


DESCRIPTION

FIG. 1 is a perspective view, partly schematic, of a pneumatic tire tread and buttress embodying my new design, it being understood that the pattern is repeated throughout the circumference of the tread and buttress, as shown schematically by solid lines, and that the buttress pattern is repeated on the opposite side;

FIG. 2 is an enlarged, fragmentary developmental plan view of the tread and buttress of FIG. 1;

FIG. 3 is an enlarged sectional view of the tread and buttress, taken substantially as indicated by line 3—3 of FIG. 2; and

FIG. 4 is an enlarged sectional view of the tread and buttress, taken substantially as indicated by line 4—4 of FIG. 2.






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.