

[54] **COMBINED PORTABLE SPOT AND FLOOD LIGHT**

[75] **Inventor: Thomas Zelina, Erie, Pa.**

[73] **Assignee: Lighting Systems, Inc., Erie, Pa.**

[**] **Term: 14 Years**

[21] **Appl. No.: 869,026**

[22] **Filed: Jan. 12, 1978**

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 729,587, Oct. 4, 1976, Pat. No. D. 247,457.

[51] **Int. Cl. D26—03; D26—02**

[52] **U.S. Cl. D48/20 K; D48/24 R**

[58] **Field of Search D48/24 R, 24 A, 20 K; 362/158, 161, 164, 183, 184, 187, 188, 189, 190, 191, 194, 196, 201, 202, 203, 204, 205, 208, 222, 223**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 127,989 7/1941 Brodton D48/24 A
 D. 147,440 9/1947 Harris D48/24 R

D. 234,001 12/1974 Stowe D48/24 R
 D. 244,876 6/1977 Zelina D48/24 R
 2,413,599 12/1946 Beck 362/157
 3,331,958 7/1967 Adler 362/157
 3,978,330 8/1976 Maurer 362/158

FOREIGN PATENT DOCUMENTS

1183774 2/1959 France 362/194
 6506150 11/1965 Netherlands 362/223

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Charles L. Lovercheck

[57] **CLAIM**

The ornamental design for a combined portable spot and flood light, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a combined portable spot and flood light showing my new design.

FIG. 2 is a side view of the light shown in FIG. 1 on an enlarged scale.

FIG. 3 is another side view of the light, different than those shown in FIGS. 1 and 2, on an enlarged scale.

FIG. 4 is an end view as seen from the left of FIG. 1 on a greatly enlarged scale.

FIG. 5 is a view of the end opposite that shown in FIG. 4.




FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.




FIG. 5.

