

[54] MICROPHONE HOLDER

[76] Inventor: Homer W. Molyneux, 300 Plum
Space 66, Capitola, Calif. 95010

[**] Term: 7 Years

[21] Appl. No.: 781,656

[22] Filed: Mar. 28, 1977

[51] Int. Cl. D14-01; D6-99

[52] U.S. Cl. D14/13; D6/125

[58] Field of Search D6/88, 125; D14/13;
248/108; 179/14.6 R, 167, 148, 178, 179

[56] References Cited

U.S. PATENT DOCUMENTS

D. 176,069	11/1955	Kamp	D14/13
D. 179,540	1/1957	Knechtsberger	D14/13
D. 215,311	9/1969	Born	D6/125
D. 242,966	1/1977	MacMillan	D6/125

Primary Examiner—Bernard Ansher
Attorney, Agent, or Firm—Claude A. S. Hamrick

[57] CLAIM

The ornamental design for a microphone holder, substantially as shown and described.

DESCRIPTION



FIG. 1 is a perspective view of a microphone holder in accordance with my new design;

FIG. 2 is a right side elevation view of the microphone holder shown in FIG. 1, the left side, not shown, being a mirror image thereof;

FIG. 3 is a rear perspective view of the microphone holder shown in FIG. 1; and

FIG. 4 is a top plan view of the microphone holder shown in FIG. 1.

Referring to FIG. 1, a microphone holder is shown to include a body, two mounting strips, and a pad. The body is of thin trapezoidal shape having a beveled slot extending axially into the narrowest of the sides. The beveled slot is of such dimensions as to permit the insertion of a microphone button therein. The distal third of the body is bent at an obtuse angle forming a base. Mounting of the base is facilitated by adhesive backed resilient material disposed on the bottom of the base. The pad is a strip of foam rubber, or other resilient material, disposed substantially along the minor axis of the body forming a cushion for the microphone.






Fig. 1




Fig. 2




Fig. 3




Fig. 4